


# OW5201/OW5203 SEQUENCE™

Outdoor Sconces



[VisaLighting.com/products/Sequence](https://VisaLighting.com/products/Sequence)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_



## DIMENSIONS<sup>1</sup>

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


	OW5201	OW5203
<b>W</b>	5" (127 mm)	
<b>H</b>	34-14" (883 mm)	45-1/4" (1149)
<b>D</b>	5-7/8" (149 mm)	




## FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- High or low lumen output options
- Integral driver
- Even illumination
- Modular design for replacement of LED source and driver
- Extruded matte white acrylic diffuser
- Spun aluminum endcaps
- Cast driver housing
- Rolled solid aluminum bars for the decorative trim
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for wet locations

## RELATIVE SCALE DRAWING



## PHOTOMETRICS



# OW5201/OW5203 SEQUENCE (cont.)

## Outdoor Sconces



Fill in shaded boxes using information listed below

		-		MVOLT			
<b>MODEL<sup>1</sup></b> OW5201 OW5203  See page 1				<b>VOLTAGE</b> MVOLT		<b>FINISH</b>  See last page for finish order codes	
	<b>SOURCE<sup>2</sup></b> L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L)						

### SOURCE<sup>2</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	CCT Range	OW5201		OW5203	
		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
L30K(H)	3000K	2600	23	3700	33
L30K(L)	3000K	1100	10	1600	15
L35K(H)	3500K	2600	23	3700	33
L35K(L)	3500K	1100	10	1600	15
L40K(H)	4000K	2600	23	3700	33
L40K(L)	4000K	1100	10	1600	15

### VOLTAGE

<b>MVOLT</b>	120-277V, 50/60 Hz
--------------	--------------------

### LUMEN MAINTENANCE RATING

L80 (reported)	>60,000 hrs
----------------	-------------

# OW5201/OW5203 SEQUENCE (cont.)

## Outdoor Sconces



### SEQUENCE PRODUCT FAMILY

<b>Outdoor Catenary</b>	4" Diameter	• OP2232, OP2233, OP2234
	8" Diameter	• OP2262, OP2263, OP2264
<b>Outdoor Cord and Cable</b>	4" Diameter	• OP2222, OP2223, OP2224
	8" Diameter	• OP2252, OP2253, OP2254
<b>Outdoor Stem</b>	4" Diameter	• OP2242, OP2243, OP2244
	8" Diameter	• OP2272, OP2273, OP2274
<b>Indoor Pendants</b>	4" Diameter	• CP2020, CP2022, CP2024, CP2026, CP2028, CP2030
	8" Diameter	• CP2036, CP2038, CP2040, CP2042, CP2044, CP2046
	12" Diameter	• CP2052, CP2054, CP2056, CP2058, CP2060, CP2062
<b>Wall Sconce</b>	Indoor	• CB5201, CB5203
	Outdoor	• OW5201, OW5203

### SUGGESTED VARIATION

- Custom colors
- RGB source
- Remove accent bars

See [Visalighting.com/Families/Sequence](https://visalighting.com/Families/Sequence) for more information

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).

For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Silver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
<b>SBNB</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red