# **CP5395 AIR FOIL**<sup>™</sup> 36" Body Height x 16" Width

Rev: 2024/11/25



VisaLighting.com/products/Air-Foil

Type:

Project:


Location:



# DIMENSIONS<sup>6</sup>

## A OAH must be specified


OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(192) indicates an overall fixture height of 192"



# FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- Integral driver
- Modular design for replacement of source and driver
- Optional recessed downlight with high and low lumen input
- Edge lit trim
- Color changing RGB is DMX compatible (controls by others)
- Matte white acrylic diffuser
- Optional specialty diffuser materials available, including Vara Kamin's Impressions of Light<sup>®</sup> images which are replicated from Kamin's original works of art
- Power cord is white; cable is stainless steel
- No VOC powder coat paint finish; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not recommended for exterior applications

# PHOTOMETRICS








# CP5395 AIR FOIL (cont.) 36" Body Height x 16" Width

# VISA LIGHTING

Fill in shaded boxes using information listed below



#### BODYLIGHT<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	ССТ	Delivered Lumens	Power (Watts)		
L30K	3000K	4600	38		
L35K	3500K	4000	38		
L40K	4000K	4700	38		
RGB			58		

# DOWNLIGHT<sup>2</sup> (Optional)

Fixture bottom is solid if no downlight is specified

Source	ССТ	Delivered Lumens	Power (Watts)		
L30K(H)	3000K	2900	28		
L30K(L)	3000K	1400	14		
L35K(H)	3500K	3000	28		
L35K(L)	3500K	1500	14		
L40K(H)	4000K	3100	28		
L40K(L)	4000K	1500	14		

## DOWNLIGHT OPTICS<sup>3</sup> (Optional)

Required with downlight option

MED	49° Beam
NRW	35° Beam
WIDE	70° Beam

#### VOLTAGE

MVOLT 120-277V, 50/60 Hz

#### **DIFFUSER OPTIONS<sup>4</sup>**

Diffuser is matte white acrylic


IRP	Impact resistant polycarbonate lens
-----	-------------------------------------

# OPTION<sup>5</sup>

A Option availability may be interdependent with Other Options

**DCC** Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)

#### STRUCTURAL BLOCKING DETAILS



# CP5395 AIR FOIL (cont.) 36" Body Height x 16" Width



# AIR FOIL PRODUCT FAMILY

Indoor Wall	51" with downlight option	• CB5301		
Sconce	55"	• CB5303		
	48" H x 16" W	• CP5301		
	48" H x 24" W	• CP5311		
Pendant	48" H x 36" W	• CP5321		
	24" H x 16" W	• CP5393		
	36" H x 16" W	• CP5395		
Outdoor Wall Sconce	55"	• 0W5303		

See VisaLighting.com/families/Air-Foil for more information

# SUGGESTED VARIATIONS

- Tandem units
- Custom printed overlay on lenses
- Graphics (school/company logos)

# CP5395 AIR FOIL (cont.) 36" Body Height x 16" Width



## FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>


#### Powder Coat Paint Finishes (Standard)

AGGY	Agate Grey	ALGN	Alpine Green	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue	DEOR	Deoro Gold
GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey	SBGN	Sagebrush Green
SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red	-	

## Alternative Metal Finishes (Premium)

BBA	Brushed Brass Alternative	<b>BCA</b> Chrom	Brushed ne Alternative	<b>BUA</b> Copj	Brushed per Alternative	<b>BZA</b> Brushed Bronze Alternative		
<b>OBA</b> Bro	Oil-Rubbed nze Alternative	PRA	Pewter Alternative	RBA	Rustic Brass Alternative	SNA	Satin Nickel Alternative	

Metal Finish (Premium)



This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.